

# TECHNICAL DATA

# Granville FS-RX 5W/30

1 Litre, 5 Litre, 20 Litre & 199 Litre

#### PRODUCT DESCRIPTION

Granville FS-RX 5W/30 is a high performance fully synthetic engine oil formulated for the latest Renault engines. This Mid SAPS oil is suitable for use in turbo charged petrol direct injection engines, Euro 6 diesel engines and is safe to use with vehicles fitted with exhaust emission after treatment devices. FS-RX 5W/30 offers excellent soot control and component protection.

## RECOMMENDED FOR USE BY GRANVILLE FOR THE FOLLOWING MANUFACTURER'S SPECIFICATIONS

ACEA: C3 Renault: RN17

### **PRODUCT BENEFITS**

Mid SAPS formulation

Controls heat build up within the engine

Suitable for Euro 6 diesel engines



\* Image for illustrative purposes only.

SIZE	PART NO	BARCODE
1 Litre	1178	5020618011781
5 Litre	1179	5020618011798
20 Litre	1180	5020618011804
199 Litre	1181	5020618011811

#### PRODUCT USAGE

For engines where this grade and specification is recommended.

#### **DIRECTIONS FOR USE**

As recommended by the engine manufacturer.

## STORAGE INSTRUCTIONS

Revision: 1 | Date: 17/01/2023

Keep sealed and upright in a cool dry place out of the reach of children.





# TECHNICAL DATA

# Granville FS-RX 5W/30

1 Litre, 5 Litre, 20 Litre & 199 Litre

## **SHELF LIFE**

5 years from date of manufacture.

Appearance : Amber liquid

Odour : Characteristic

Solubility : Insoluble in water

Test	Method	Unit	Min.	Max.	Typical
Viscosity, Kinematic 100°c	ASTM D445	mm²/s	9.3	<12.5	11.4
Viscosity, Kinematic 40°c	ASTM D445	mm²/s			66
Density	ASTM D792	@ 15°c			0.85
Viscosity, CCS -30°c	ASTM D4684	mPa.s		6600	
Total Base Number	ASTM D2896	mg KOH/g	7.5		9.3
HTHS Viscosity	ASTM D4683	mPa.s	>3.5		
NOACK Volatility	ASTM D5800	%		<11	

## **SAFETY PRECAUTIONS**

Revision: 1 | Date: 17/01/2023

Please see our latest EC Safety Data Sheets for details.

#### TRANSPORT CLASSIFICATION

Please see our latest EC Safety Data Sheets for details.

